

AMX-MT Series

Mini-ITX Standard Barebone System with Intel® Desktop Core Processor





Features

- Compact Chassis for Mini-ITX Motherboard
- 2 x 2.5" SATA HDD or SSD
- 1PCIe(x16) or 2PCI expansion slots
- Compact design
- Supports 4COM ports

SPEC

ITEM		AMX-H110MT	AMX-H610MT
System	CPU	Intel® Core™ i7-6700	Intel® Core™ i7-13700
		Intel® Core™ i5-6500	Intel® Core™ i5-13500
		Intel® Core™ i3-6100	Intel® Core™ i3-13100
	Max. capacity	2x Dual Channel DDR4 max. 32GB	2x Dual Channel DDR4 max. 64GB
Graphic	Controller	Intel® HD Graphics	Intel Integrated Graphics based on CPU
Ethernet	Controller	3 x Intel ® i211-AT GbE LAN	1x Intel i219, Data Rate Per Port:1.0GbE 2x Intel i226, Data Rate Per Port:2.5GbE
Audio	Controller	Realtek HD ALC662 5.1 Channel Codec	Realtek HD ALC662 5.1 Channel Codec
Storage	SATA	2 x 2.5" HDD/SSD drive bay	2 x 2.5" HDD/SSD drive bay
	M.2	1x M.2 for 2242 SSD	1x M.2 for 2280 NVMe/SATA SSD
Expansion	Pcie or PCI slot	1 x PCIe(x16) or 2 x PCI (option)	1 x PCIe(x16) or 2 x PCI (option)
	M.2	1x M.2 for Wi-Fi	1x M.2 for Wi-Fi
I/O Interface	Audio	1x Line-out, 1x MIC-in	1x Line-out, 1x MIC-in
	USB	4 x USB 3.0 / 2 x USB 2.0	4 x USB 3.2 / 2 x USB 2.0
	Display	1 x HDMI 1 x DP	1 x HDMI 1 x DP
	Serial Ports	Max 4 x COM (Option) COM 1~4: RS-232	4 xCOM: 4*RS232 or 3*RS232+1*RS485
Power Supply		250W/300W Flex ATX power / Input voltage :100V ~ 240V	
Environmental	Operating temperature	0 ~ 45°C	
	Operating humidity	10 ~ 95% RH @ 55°C (non-condensing)	
Mechanical	dimension	240 x 250 x 125 mm	
	Weight (Net)	6KG	
Certification	EMI /MEC	Compliant with CE, FCC,	
Software operating support		Windows 7 (32/64-bit)、Windows 10	Windows 10、Windows 11

AMX-H110MT



AMX-H610MT

